

Standart Boyutlardaki (5.00 m X 2.15 m) Üretimi Yapılmış Çelik Hasırların Ağırlık Tablosu

Hasır Tipi	Çubuk				Ağırlık	
	Aralık (mm)		Çap (mm)		Kg/adet	Kg/m ²
	Boy	En	Boy	En		
Q 106/106	150	150	4,5	4,5	18,244	1,70
Q 131/131	150	150	5,0	5,0	22,476	2,09
Q 158/158	150	150	5,5	5,5	27,293	2,54
Q 188/188	150	150	6,0	6,0	32,401	3,01
Q 221/106	150	150	6,5	4,5	28,444	2,65
Q 221/131	150	150	6,5	5,0	30,501	2,84
Q 221/158	150	150	6,5	5,5	32,843	3,06
Q 221/188	150	150	6,5	6,0	35,326	3,29
Q 221/221	150	150	6,5	6,5	38,093	3,54
Q 257/106	150	150	7,0	4,5	31,519	2,93
Q 257/158	150	150	7,0	5,5	35,918	3,34
Q 257/188	150	150	7,0	6,0	38,401	3,57
Q 257/221	150	150	7,0	6,5	41,168	3,83
Q 257/257	150	150	7,0	7,0	44,077	4,10
Q 262/106	150	150	7,1	4,5	32,194	2,99
Q 262/131	150	150	7,1	5,0	34,251	3,19
Q 262/158	150	150	7,1	5,5	36,593	3,40
Q 262/188	150	150	7,1	6,0	39,076	3,63
Q 262/221	150	150	7,1	6,5	41,843	3,89
Q 262/257	150	150	7,1	7,0	44,752	4,16
Q 262/295	150	150	7,1	7,5	47,945	4,46
Q 262/317	150	150	7,1	7,8	49,931	4,64
Q 262/335	150	150	7,1	8,0	51,350	4,78
Q 262/377	150	150	7,1	8,5	54,969	5,11
Q 295/131	150	150	7,5	5,0	36,951	3,44

Q 295/158	150	150	7,5	5,5	39,293	3,66
Q 295/188	150	150	7,5	6,0	41,776	3,89
Q 295/221	150	150	7,5	6,5	44,543	4,14
Q 295/257	150	150	7,5	7,0	47,452	4,41
Q 295/295	150	150	7,5	7,5	50,645	4,71
Q 317/106	150	150	7,8	4,5	36,994	3,44
Q 317/131	150	150	7,8	5,0	39,051	3,63
Q 317/158	150	150	7,8	5,5	41,393	3,85
Q 317/188	150	150	7,8	6,0	43,876	4,08
Q 317/221	150	150	7,8	6,5	46,643	4,34
Q 317/257	150	150	7,8	7,0	49,552	4,61
Q 317/295	150	150	7,8	7,5	52,745	4,91
Q 335/106	150	150	8,0	4,5	38,494	3,58
Q 335/131	150	150	8,0	5,0	40,551	3,77
Q 335/158	150	150	8,0	5,5	42,893	3,99
Q 335/188	150	150	8,0	6,0	45,376	4,22

Q 335/221	150	150	8,0	6,5	48,143	4,48
Q 335/257	150	150	8,0	7,0	51,052	4,75
Q 335/295	150	150	8,0	7,5	54,245	5,05
Q 335/335	150	150	8,0	8,0	57,650	5,36
Q 377/106	150	150	8,5	4,5	42,319	3,94
Q 377/131	150	150	8,5	5,0	44,376	4,13
Q 377/158	150	150	8,5	5,5	46,718	4,35
Q 377/188	150	150	8,5	6,0	49,201	4,58
Q 377/221	150	150	8,5	6,5	51,968	4,83
Q 377/257	150	150	8,5	7,0	54,877	5,10
Q 377/295	150	150	8,5	7,5	58,070	5,40
Q 377/335	150	150	8,5	8,0	61,475	5,72
Q 424/106	150	150	9,0	4,5	46,369	4,31
Q 424/131	150	150	9,0	5,0	48,426	4,50
Q 424/158	150	150	9,0	5,5	50,768	4,72
Q 424/188	150	150	9,0	6,0	53,251	4,95

Q 424/221	150	150	9,0	6,5	56,018	5,21
Q 424/257	150	150	9,0	7,0	58,927	5,48
Q 424/295	150	150	9,0	7,5	62,120	5,78
Q 424/317	150	150	9,0	7,8	64,106	5,96
Q 424/335	150	150	9,0	8,0	65,525	6,10
Q 424/377	150	150	9,0	8,5	69,144	6,43
Q 424/424	150	150	9,0	9,0	72,975	6,79
Q 443/106	150	150	9,2	4,5	48,019	4,47
Q 443/131	150	150	9,2	5,0	50,076	4,66
Q 443/158	150	150	9,2	5,5	52,418	4,88
Q 443/188	150	150	9,2	6,0	54,901	5,11
Q 443/221	150	150	9,2	6,5	57,668	5,36
Q 443/257	150	150	9,2	7,0	60,577	5,64
Q 443/295	150	150	9,2	7,5	63,770	5,93
Q 443/317	150	150	9,2	7,8	65,756	6,12
Q 443/335	150	150	9,2	8,0	67,175	6,25

Q 443/377	150	150	9,2	8,5	70,794	6,59
Q 443/443	150	150	9,2	9,2	76,186	7,09
Q 473/473	150	150	9,5	9,5	81,294	7,56
Q 503/503	150	150	9,9	9,9	88,300	8,21
Q 513/188	150	150	9,9	6,0	61,126	5,69
Q 513/221	150	150	9,9	6,5	63,893	5,94
Q 513/257	150	150	9,9	7,0	66,802	6,21
Q 513/295	150	150	9,9	7,5	69,995	6,51
Q 513/317	150	150	9,9	7,8	71,981	6,70
Q 513/335	150	150	9,9	8,0	73,400	6,83
Q 513/377	150	150	9,9	8,5	77,019	7,16
Q 513/443	150	150	9,9	9,2	82,411	7,67
Q 513/503	150	150	9,9	9,9	88,300	8,21
Q 513/513	150	150	9,9	9,9	88,300	8,21
Q 524/257	150	150	10,0	7,0	67,702	6,30
Q 524/295	150	150	10,0	7,5	70,895	6,59

Q 524/317	150	150	10,0	7,8	72,881	6,78
Q 524/335	150	150	10,0	8,0	74,300	6,91
Q 524/377	150	150	10,0	8,5	77,919	7,25
Q 524/424	150	150	10,0	9,0	81,750	7,60
Q 524/443	150	150	10,0	9,2	83,311	7,75
Q 524/524	150	150	10,0	10,0	90,051	8,38
Q 589/188	150	150	10,6	6,0	67,726	6,30
Q 589/221	150	150	10,6	6,5	70,493	6,56
Q 589/257	150	150	10,6	7,0	73,402	6,83
Q 589/295	150	150	10,6	7,5	76,595	7,13
Q 589/317	150	150	10,6	7,8	78,581	7,31
Q 589/335	150	150	10,6	8,0	80,000	7,44
Q 589/377	150	150	10,6	8,5	83,619	7,78
Q 589/443	150	150	10,6	9,2	89,011	8,28
Q 589/503	150	150	10,6	9,9	94,900	8,83
Q 589/567	150	150	10,6	10,4	99,299	9,24

Q 634/634	150	150	11,0	11,0	109,025	10,14
Q 636/424	150	150	11,0	9,0	91,500	8,51
Q 636/636	150	150	11,0	11,0	109,025	10,14
Q 664/158	150	150	11,3	5,5	72,368	6,73
Q 664/188	150	150	11,3	6,0	74,851	6,96
Q 664/221	150	150	11,3	6,5	77,618	7,22
Q 664/257	150	150	11,3	7,0	80,527	7,49
Q 664/295	150	150	11,3	7,5	83,720	7,79
Q 664/317	150	150	11,3	7,8	85,706	7,97
Q 664/377	150	150	11,3	8,5	90,744	8,44
Q 664/443	150	150	11,3	9,2	96,136	8,94
Q 664/503	150	150	11,3	9,9	102,025	9,49
Q 709/424	100	150	9,5	9,0	96,745	9,00
Q 770/188	100	150	9,9	6,0	82,301	7,66
Q 770/221	100	150	9,9	6,5	85,068	7,91
Q 770/257	100	150	9,9	7,0	87,977	8,18

Q 770/335	100	150	9,9	8,0	94,575	8,80
Q 770/377	100	150	9,9	8,5	98,194	9,13
Q 770/443	100	150	9,9	9,2	103,586	9,64
Q 770/503	100	150	9,9	9,9	109,475	10,18
Q 785/257	100	150	10,0	7,0	89,297	8,31
Q 785/295	100	150	10,0	7,5	92,490	8,60
Q 785/785	100	100	10,0	10,0	132,871	12,36
Q 884/221	100	150	10,6	6,5	94,748	8,81
Q 884/257	100	150	10,6	7,0	97,657	9,08
Q 884/295	100	150	10,6	7,5	100,850	9,38
Q 884/443	100	150	10,6	9,2	113,266	10,54
Q 884/503	100	150	10,6	9,9	119,155	11,08
Q 1005/257	100	150	11,3	7,0	108,107	10,06
Q 1005/295	100	150	11,3	7,5	111,300	10,35
Q 1005/335	100	150	11,3	8,0	114,705	10,67
Q 1005/442	100	150	11,3	9,2	123,716	11,51

Hasır Tipi	Çubuk				Ağırlık	
	Aralık (mm)		Çap (mm)		Kg/adet	Kg/m ²
	Boy	En	Boy	En		
R 106	150	250	4.5	4.5	14.750	1.37
R 131	150	250	5.0	5.0	18.172	1.69
R 158	150	250	5.5	5.0	20.647	1.92
R 188	150	250	6.0	5.0	23.272	2.16
R 221	150	250	6.5	5.0	26.197	2.44
R 257	150	250	7.0	5.0	29.272	2.72
R 262	150	250	7.1	5.0	29.947	2.79
R 295	150	250	7.5	5.0	32.647	3.04
R 317	150	250	7.8	5.0	34.747	3.23
R 335	150	250	8.0	5.0	36.247	3.37
R 377	150	250	8.5	5.0	40.072	3.73
R 390	150	250	8.7	5.5	43.066	4.01
R 424	150	250	9.0	5.5	45.541	4.24

Hasır Tipi	Çubuk				Ağırlık	
	Aralık (mm)		Çap (mm)		Kg/adet	Kg/m ²
	Boy	En	Boy	En		
TR 131	300	150	5.0	5.5	19.428	1.81
TR 158	300	150	5.5	5.5	20.748	1.93
TR 188	300	150	5.5	6.0	23.231	2.16
TR 221	300	150	5.5	6.5	25.998	2.42
TR 257	300	150	5.5	7.0	28.907	2.69
TR 295	300	150	5.5	7.5	32.100	2.99
TR 317	300	150	5.5	7.8	34.086	3.17
TR 335	300	150	5.5	8.0	35.505	3.30
TR 377	300	150	5.5	8.5	39.124	3.64
TR 443	300	150	6.0	9.2	45.916	4.27
TR 513	300	150	6.5	9.9	53.365	4.96
TR 524	300	150	7.0	10.0	55.856	5.20
TR 589	300	150	7.0	10.6	61.248	5.70

Kanalet Hasırları						
Çelik Hasır Tipi	Hasır		Çubuk		Açıklama	Hasır Ağırlığı (kg)
	En (cm)	Boy (cm)	En (cm)	Boy (cm)		
TİP - 70	158	498	4.2	4.2	2' li imalat	13.559
TİP - 100	186	498	4.2	4.2	2' li imalat	14.231
TİP - 135	216	498	4.2	4.2	2' li imalat	18.287
TİP - 180	244	498	4,2	4.2+5	2' li imalat	20.084
TİP - 230	135	498	4,2	4.2+6	tekli imalat	11.982
TİP - 315	152	498	5.8	5.0	tekli imalat	17.52
TİP - 450	176	498	5.8	5.0	tekli imalat	21.067
TİP - 600	201	498	5.8	5.0	tekli imalat	24.996
TİP - 800	232	498	5.8	5.0	tekli imalat	31.267
TİP - 1000	260	498	5.8	5.0	tekli imalat	41.422